






BTP7 box profile sheet

Gallery



Zoom



Zoom

Attributes




Image not found or type unknown



Application	Eaves, wall			
Name	Box profile sheet BTP7			
Steel grade	S250GD			
Sheet thickness [mm]	0,40/0,50			
Coat	Poliester 25 µm, Poliester 35 µm, Poliester 35 µm Mat, Poliuretan 55 µm			
Max. sheet length [mm]	2000, 3000, 4000			
Coat		Poliester 25 µm	Poliester 35 µm, Poliester 35 µm Mat	Poliuretan 55 µm
Metallic coat		Min. Z225 or equivalent (alloyed coatings)		

Corrosion resistance class (external) RC	RC3	RC4	RC5*
Corrosion resistance class (internal) AC	AC3	up to AC4*	up to AC5*

(*) Confirmation of corrosion resistance class RC/AC only by the steel supplier after analysis of the environmental questionnaire (via the Quality Department).

(**) Transport, assembly, cleaning, maintenance in accordance with Balex Metal recommendations.

Colors

Attachments

Product declarations and certificates



Hygiene Certificate: coated sheet products (EN)

Download

General catalogues & price lists



Balex Metal Product Catalogue

Download

General Terms & Conditions of Sales



General Sales Conditions

Download

Dont found what you need? **Ask our expert a question**



Michał Dąbrowski

Product Development Manager - responsible for the development of products in the industrial and residential construction segment, focused on topics related to lightweight housing and thermal insulation.

A graduate of the Faculty of Civil and Environmental Engineering at the Gdańsk University of Technology, a civil engineer with unlimited executive qualifications in the field of bridge engineering.

Go to **balex.eu/en/knowledge-base/ask-an-expert** and fill out the form

Balex Metal Sp. z o. o.

ul. Wejherowska 12C
84-239 Bolszewo
NIP 588-11-30-299
Regon 191112216
KRS 0000176277

kontakt@balex.eu
+48 58 778 44 44 / 801 000 807

balex.eu

This printout does not constitute an offer within the meaning of the Civil Code. The information provided is current on the date of publication. In accordance with Balex Metals motto of continuous improvement, this information is not binding and may change without prior notice. Balex Metal reserves the right to introduce changes to the versions of the presented products.

View product online

