



# Roofing screws

# Description

## **TORX self-drilling screw - closely matched to the coating**

The basic characteristic features of TORX wood screws are:

- colourful polyester protective coating, acting as additional anti-corrosion protection, matched to the colour of the sheet metal coating;
- colour durability ensured by the use of UV stabilisers;
- surface-hardened thread;
- protection with a layer of zinc plating;
- thread shape enabling fastening in the structure wooden;
- sealing pad resistant to temperature differences and UV radiation;
- special shape of the pad guaranteeing full tightness of the connection;
- very aesthetic fastening of roof covering and sheet metal.

# Attributes

|               |                    |    |
|---------------|--------------------|----|
| Name          | Roofing screws     |    |
| Diameter [mm] | 4.8                |    |
| Length [mm]   | 20                 | 35 |
| Coat          | SP Polyester 25 µm |    |

# Attachments

## General Terms & Conditions of Sales

---



## General Sales Conditions

Download

# Dont found what you need? **Ask our expert a question**



## **Michał Dąbrowski**

Product Development Manager - responsible for the development of products in the industrial and residential construction segment, focused on topics related to lightweight housing and thermal insulation.

A graduate of the Faculty of Civil and Environmental Engineering at the Gdańsk University of Technology, a civil engineer with unlimited executive qualifications in the field of bridge engineering.

Go to **[balex.eu/en/knowledge-base/ask-an-expert](https://balex.eu/en/knowledge-base/ask-an-expert)** and fill out the form

## **Balex Metal Sp. z o. o.**

ul. Wejherowska 12C  
84-239 Bolszewo  
NIP 588-11-30-299  
Regon 191112216  
KRS 0000176277

[kontakt@balex.eu](mailto:kontakt@balex.eu)  
+48 58 778 44 44 / 801 000 807

**[balex.eu](https://balex.eu)**

This printout does not constitute an offer within the meaning of the Civil Code. The information provided is current on the date of publication. In accordance with Balex Metals motto of continuous improvement, this information is not binding and may change without prior notice. Balex Metal reserves the right to introduce changes to the versions of the presented products.

**View product online**

