




Valley gutter


Description

Valley gutter - effective protection of concave joints on the roof

Valley gutter in the form of a profiled sheet of metal is designed to protect and finish ridges recessed below the roof surface. The flashing has been equipped with special hooks that allow for full tightness at the installation site. The gutter material is resistant to corrosion and changing weather conditions.

A wide selection of colors and forms of finishes allows for full adjustment of the flashing to the roof covering. The modular length of the gutter is 200 cm.

Attributes



Technical drawings

Attachments

Product declarations and certificates



Declaration of Performance: Plain sheet metal

Download

General catalogues & price lists



Balex Metal Product Catalogue

Download

General Terms & Conditions of Sales



General Sales Conditions

Download

Dont found what you need? **Ask our expert a question**



Michał Dąbrowski

Product Development Manager - responsible for the development of products in the industrial and residential construction segment, focused on topics related to lightweight housing and thermal insulation.

A graduate of the Faculty of Civil and Environmental Engineering at the Gdańsk University of Technology, a civil engineer with unlimited executive qualifications in the field of bridge engineering.

Go to **balex.eu/en/knowledge-base/ask-an-expert** and fill out the form

Balex Metal Sp. z o. o.

ul. Wejherowska 12C
84-239 Bolszewo
NIP 588-11-30-299
Regon 191112216
KRS 0000176277

kontakt@balex.eu
+48 58 778 44 44 / 801 000 807

balex.eu

This printout does not constitute an offer within the meaning of the Civil Code. The information provided is current on the date of publication. In accordance with Balex Metals motto of continuous improvement, this information is not binding and may change without prior notice. Balex Metal reserves the right to introduce changes to the versions of the presented products.

View product online

