



Wall panel

Description

Modern wall panels - a way to create a geometrically ordered facade

Balex Metal wall panels are a functional and durable finish for external walls characterized by an aesthetic appearance. This type of covering is attached using screws to the substructure.

A facade covered with metal panels is a solution intended for both heated and unheated hall facilities. Metal wall covering can also be successfully used in single-family and multi-family residential buildings. There are also no contraindications to attaching wall panels inside buildings.

Balex Metal wall panels protect building partitions against atmospheric and mechanical factors. These elements are resistant to weather conditions and corrosion.

Wall panels provide extensive arrangement possibilities for external wall surfaces. Wall coverings are available in a wide range of colors. Importantly, they can be combined with other finishing materials – glass, wood, concrete and aluminum.

Gallery



Zoom



Zoom




Zoom



Zoom

Attributes

Name	wall panel
Steel grade	S250GD
Length	To individual order
Maximum length [mm]	6000
Effective width, S [mm]	205 / 305 (adjustable from 200 to 350 mm, depending on the sheet metal thickness)
Face A width [mm]	194 / 294
Gap B width [mm]	1-11 (+/- 1)
Sheet thickness [mm]	0.5 / 0.6 / 0.7
Coat	SP Polyester 25 µm, SP Polyester Mat Pearl 35 µm, Cesar 55



Wall panel cross-section

S — standard effective width: 205 mm

Colors

Poliester 25 µm



1003 signal yellow



1015 light ivory



3000 flame red



3011 brown red



3016 coral red



5003 blue sapphire



5010 gentian blue



6005 moss green



6011 reseda green




6018 green yellow




6020 chrome green




7012 basalt grey



7016 anthracite grey




7024 graphite grey



7035 light grey



7040 window grey



7047 telegrey 4




8004 copper brown




8012 red brown




8017 chocolate brown



9002 grey white



8019 grey brown




9005 jet black



9006 silver metallic



9007 grey aluminium



9010 pure white

Poliester 35 µm Mat



3011 (3301M) brown
red



6020 (6490M) chrome
green



7016 (7016M)
anthracite grey



8019 (8019M) dark
brown



8004 (8620M) copper
brown



8017 (8637M)
chocolate brown




9005 (9005M) jet
black



7024 (7591M)

Poliuretan 55 µm



7016 anthracite grey



8017 chocolate brown




9005 jet black



9006 silver metallic



9007 grey aluminium



9010 Pure white

Attachments

Product declarations and certificates



Declaration of Performance: Wall panel

[Download](#)



Hygiene Certificate: coated sheet products (EN)

[Download](#)

General catalogues & price lists



Balex Metal Product Catalogue

[Download](#)

General Terms & Conditions of Sales



General Sales Conditions

Download

Dont found what you need? **Ask our expert a question**



Michał Dąbrowski

Product Development Manager - responsible for the development of products in the industrial and residential construction segment, focused on topics related to lightweight housing and thermal insulation.

A graduate of the Faculty of Civil and Environmental Engineering at the Gdańsk University of Technology, a civil engineer with unlimited executive qualifications in the field of bridge engineering.

Go to balex.eu/en/knowledge-base/ask-an-expert and fill out the form

Balex Metal Sp. z o. o.

ul. Wejherowska 12C
84-239 Bolszewo
NIP 588-11-30-299
Regon 191112216
KRS 0000176277

kontakt@balex.eu
+48 58 778 44 44 / 801 000 807

balex.eu

This printout does not constitute an offer within the meaning of the Civil Code. The information provided is current on the date of publication. In accordance with Balex Metals motto of continuous improvement, this information is not binding and may change without prior notice. Balex Metal reserves the right to introduce changes to the versions of the presented products.

View product online

